

RISC OS is a comprehensive package.

- Paint**
A bitmapped editor which can handle the native RISC OS sprite format. Many other formats such as GIF, JPEG and TIFF files can be loaded with the help of plug-in modules. It is mainly used for designing icons and capturing screen shots; it can load JPEGs.
- Draw**
A scalable vector graphic package. Which as well as the native Drawfile format, can also generate SVG format files.
- Edit**
A text editor which also provides command line control and editing facilities. Edits multiple multi-window text editors - you can have as many views on the same file - you can have as many open documents as you want.
The path name of a file can be easily written at the current cursor position, simply by holding the window. Any type of file can be loaded into the text editor simply by holding down the shift key whilst double-clicking on the file's icon.
- Calculator**
A scientific calculator is standard part of RISC OS.
- Printing**
A full printing support package is available for RISC OS supporting PCL, PCL5 printing, Postscript, Postscript, Postscript, Epson ESC/P2 and Lemark printer formats.
- Email client**
The Marcei email client developed by ANT Limited is shipped with RISC OS.
- Web Browser**
The Fresco web browser developed by ANT Limited with 128 bit SSL support is shipped with RISC OS.
- PDF file support**
The RISC OS Printer Drivers can generate Adobe Acrobat compatible PDF files. There are also PDF file readers available.
- Speech support**
Phoneme based text to speech translation is available to support many RISC OS applications. Windows where 'touchup' would be required.

Connectivity to PC, Unix, Mac

The Omniclient program is a universal desktop file for network-based filing systems. It allows running on Acorn RISC OS computers. It allows Acorn platform users to store and retrieve files in conjunction with 'alternative' file servers, and makes the most of hardware and software network area networks (LANs) that use Acorn machines.
It embraces the following network filing systems:

- Acorn Access and Acorn Access+
- MS (TCP/IP) and Netatalk
- NT Server 3.5, NT Advanced Server 3.1 and Windows for Workgroups.

Reference Designs

RISC OS based hardware is available from a number of manufacturers.
 Castle Technology provide the original Acorn designed StrongARM SA110 based RISC PC and RISC OS based hardware. They are also now offering a series of small form factor boards for embedded applications under the Neuron brand.
www.castleuk.com

Embedded RISC OS

RISCStation currently offers two ARM7500 based RISC OS licel. The first is R7500 and the portable. www.riscstation.co.uk
 As well as complete desktop environments, RISC OS is easily customisable for dedicated purposes where a limited feature set is required.
 Supported Processors
 Intel SA1110 (under development)
 CPU ARM7500 (under development)
 ARM 720 core (under development)
 ARM 9 core (under development)
 XScale (under development)

Web Sites

RISC OS Ltd welcomes enquiries from any embedded applications, such as Point of Sale Kiosks, Information Displays, Portable device etc.
 There are a large number of web sites and news groups dedicated to RISC OS. RISC OS Ltd itself has a group of sites centred around its home site at <http://www.riscos.com/>
<http://select.riscos.com/>
<http://embedded.riscos.com/>
<http://developer.riscos.com/>
<http://support.riscos.com/>
<http://foundation.riscos.com/>



RISC PC

Ease of Use

Like all Graphical User Interfaces (GUI), the RISC OS Desktop has a learning curve, but once learnt, it is by far the most user friendly and productive GUI in the world today.
 RISC OS Desktop can be installed directly from the RISC OS floppy. It will handle booting and lead to leave it for the command line. Much use is made throughout the Desktop. The RISC OS printing system uses perfect matching between screen display and printer. When the printer is not connected to monitor using the RISC OS Font Manager.

ROM based

RISC OS is supplied in ROM thus avoiding any possibility of corruption by viruses.
Anti-aliased Fonts
 Anti-aliased fonts, including font blending, are a standard part of RISC OS and are used throughout the Desktop. The RISC OS printing system uses perfect matching between screen display and printer. When the printer is not connected to monitor using the RISC OS Font Manager.

Built-in Command line

The command line and the Desktop are part of the same operating system in RISC OS. The command line can be reached from the Desktop with a single key press. Function keys are used throughout the Desktop. It always takes you exactly to the Desktop. You can return to the Desktop just as easily.

Industry Standard

RISC OS supports many file types and further adheres to published standards and does not attempt to enforce its own changes to universally accepted standards.
User customisable
 The RISC OS desktop is easily customised for individual taste and for different applications.
Proprietary code
 RISC OS is based almost entirely on proprietary code with no change of hidden backdoor that can arise from using Open Source software.

International Support

RISC OS and its applications can easily be adapted to support different languages and character sets. These provide the services and information necessary for both RISC OS and its applications to be viewed in different languages for specific territories. RISC OS supports a wide range of system information messages in its own language. Different time zones, different extra facilities and applications from extension ROMs, a network connection, CONCOM or almost any storage medium.

Discless operation

RISC OS does not rely on a hard disc for its operation and can easily be configured to boot extra facilities and applications from extension ROMs, a network connection, CONCOM or almost any storage medium.

Unicoded Font support

RISC OS can support both 8 bit Latin fonts and 16 bit Unicoded fonts (Method Engines (IMEs) are available to support character input from standard ASCII keyboards for the multi-character fonts used by languages such as Korean, Japanese and Chinese.

Long file names

RISC OS supports real long filenames as opposed to a pseudo long filename mapping onto a file with a short name. ASCII 128 and full stop are not valid characters in filenames.

16 bit Sound

RISC OS computers have 16-bit sound support and can play back multiple concurrent sound streams.

RISC OS is a compact ROM based Operating System solely for use with ARM@ 32 bit processors.



Why choose RISC OS for your products?

RISC OS was originally developed in 1989 by Acorn Computers. When the 6502 processor originally used in the BBC Micro no longer proved powerful enough they designed the ARM2 processor and a new Operating System to go with it. The Acorn processor design business was spun off as ARM Ltd in 1990. RISC OS was constantly developed by Acorn as successive processors such as the ARM3, ARM250, ARM610, ARM710 and StrongARM SA110 appeared. RISC OS has appeared in Acorn desktop computers for over 13 years and also as NCOS in Network computers. RISC OS was designed at a time when 4MB memory was expensive for a desktop computer and 32 MB RAM would cost over £1,000 and consequently used a 26 bit mode of operation on the 32 bit ARM processors which allowed for a number of savings in code and hardware design.
 In 1995 ARM was chosen by Oracle to build the first Reference Design for the Network Computer which they managed in under 16 weeks.
 RISC OS is currently in use in the DSL 4000 Set Top Box and Bush Internet TV products. Castle Technology use it in their Risc PC, A7000+ and Neuron products. RiscStation in their R7500 and portable products and MicroDigital in their Mico computer. New products that are planned to incorporate RISC OS include the Millpede Imago, SVD Visobook, Explain Solo and MicroDigital Omega.

True Drag and Drop

RISC OS supports true Drag and Drop operations throughout the Desktop. There are two types of drop with regard to applications - dropping on the icon bar opens a new window whilst dropping on an open window appends the data.

Compact Kernel

The current RISC OS kernel is only 180 KB in size. It provides efficient task management with cooperative multi-tasking and up to 128 concurrent operations. Further features include:
 Fast interrupt handling
 Dynamic memory management
 System clock and timing facilities.

Module based operation

RISC OS is a module based operating system. Modules can be soft-loaded to replace ROM or new ones used to extend the operating system's capabilities. Applications communicate with these modules through the calling of Windows API calls.

Flexible filing systems

RISC OS supports many local and remote filing systems:
 SCIFS
 Floppy drive - MS-DOS, Acorn, Mac, Atari
 ISO 9660 CD-ROM with RockRidge and Joliet.
 PCMCIA - (PC Cards)
 RAMFS
 IDEFS
 ShareFS
 NFS

Variable screen resolutions

The graphics chips supported by RISC OS allow a wide range of graphics modes to be generated. Most desktop computers have a graphics card. The graphics card and graphics cursor can be plotted at the graphics cursor and the text and graphics cursors can be combined. PAL TV and NTSC compatible screen modes are available.

Mouse

RISC OS has had a three-button mouse from the very beginning when each button was assigned a specific purpose. The use of each button is totally consistent throughout the entire Desktop. You can, for example, select a menu item without the mouse button being pressed. The three buttons are the same window at the same time. The third button can be used to do the reverse of the first button; if the first scrolls up a window, when clicked over a particular icon, the third button will scroll it down. The third mouse button can be compared to holding down Shift whilst clicking on a window. However, but 6 much more convenient to the user.

Virus protection

RISC OS systems are immune to PC attachment virus attacks.
No Hidden files
 RISC OS does not have hidden files; with operating system files, application files and a user's data files so neatly departmentalised, there is very little, if any, need for hidden files. You can have an unlimited number of files per directory.

Long file names

RISC OS supports real long filenames as opposed to a pseudo long filename mapping onto a file with a short name. ASCII 128 and full stop are not valid characters in filenames.

16 bit Sound

RISC OS computers have 16-bit sound support and can play back multiple concurrent sound streams.

RISC OS provides a stable and reliable base for the following company's products and services.

RISC OS and it's applications have a small memory footprint and are easy to develop and maintain.

RISC OS provides continuous reliable operation in demanding environments.

RISC OS supports many different programming languages.



Si-Plan Electronic Research produces a wide range of equipment for long term product testing. At the heart of many of their products are RISC OS computers which are essential to ensure that the testing procedures are not interrupted by computer failure.

Rack mounted OmniBus interface Units
The second piece of equipment is the OmniBus interface unit which provides the link between the OmniBus workstations and the actual piece of broadcast equipment. This is an ARM A2004-based system, which is housed in a rack mountable unit and provides Ethernet, RS 422 and other appropriate control interfaces.

OmniBus is the real-time network operating system that gives distributed control of a vast range of broadcast equipment. The system allows simple intuitive user interfaces. The system allows equipment resources to be shared between many users, ensuring that the customer gets the most use out of valuable hardware assets.

OmniBus systems are in constant use worldwide. The system is used by the BBC (RISC Workstation, 24, Roxovana TV (Africa), Doordarshan TV (India), and TVNZ (New Zealand)) to name a few.

www.omnibus.tv




OmniBus Workstation
The OmniBus Workstation is a standard Risc PC equipped with a high resolution monitor, keyboard, mouse or trackball to provide a consistent control interface for all the connected equipment. The interface is broadcast format and technology independent. The soft control menus displayed on an OmniBus workstation have been designed to represent the actual look of the broadcast equipment.




Denbridge Digital designs and manufactures a range of traffic management products around the world for marine, air and highway transportation industries. One product offered by the Vessel Traffic Systems Division is the RD5-4200 which is a high-performance, low-cost multipurpose radar display processors.

Based on the StrongARM RISC processor, the RD5-4200 offers performance features not found on any other commercial radar displays. The RD5-4200 has a unique zooming capability which provides target resolution and detail limited only by the resolution of the screen. The RD5-4200 provides an impressive presentation of radar data and can be used with most commercially available marine radar transceivers. The RD5-4200 features standard ARPA functions along with an advanced sixteen target tracker and can be configured to support a wide range of system system modules for additional system functionality.

Their 4th generation of advanced radar video compression technology, the RCS-4000C provides real-time radar video compression down to 9600 bps



The radar display on the RCS-4000C
www.denbridge.digital.com



Steering column test rig runs in all its axes: up and down, in and out as well as testing the clamp lever. The two actuators have to follow each other as the column is moved to maximum extension, maximum height, minimum height, minimum extension etc. Tests can run for days, weeks and repeated. Full data logging and displays are included. Rigs like this have been supplied to the UK and the USA.



L'Information vidéographique

SVD has been an editor of daily electronic newspapers since 1985. From its production centre in Valence in Southern France more than 200 different newspapers are daily updated and uploaded to more than 2500 screens installed in customers' offices for external or internal use.

In 1988, SVD needed to renew the display hardware used for its Visio news product and chose the Acorn A7000 as its new platform.

The main reasons for this choice was:

- Low power technology
- The ROM based OS suitable for embedded applications
- OS simplicity and stability
- High quality of displaying and drawing OS functions such as anti-aliasing of text and vectors, JPEG decompressor, indexed video support, ...




Limb prostheses test machine.
Fatigue test involves 3 million cycles at 1 per second - therefore one test takes 35 days. The stability and multiprocessing of RISC OS makes it ideal for this application. The machine is double ended, so one RISC PC is controlling load on each of 4 servo-pneumatic actuators while logging load and displacement, peak loads, peak displacements etc, displaying 2 loggers and DPMs on screen in real-time.

Other RISC OS based applications developed by Si-Plan in the last couple of years have included:

Wind tunnel test control for a university research lab.
Fatigue simulation test rigs for production testing of Deflecting wing components made of rubber.

www.si-plan.com



Whilst programs for RISC OS can be developed in ARM, Assembler, C and many other Scientific Languages, the built in BBC Basic Interpreter provides an excellent basis for much software.

BASIC

There are two versions of BASIC available with RISC OS. BASIC VI is the latest version, supplied alongside BASIC V. Its main advantage over BASIC V is that it can handle real numbers with greater accuracy. The improved floating point handling means it performs floating point arithmetic to IEEE standard 84-bit using 8-byte representation, instead of 5 bytes used by BASIC V.

Both BASICs includes comprehensive built-in help text, and are probably the most powerful and fastest interpreted BASICs found on any computer in the world.

BASIC consists of special keywords with which you create sequences of instructions, called programs, to be carried out by the computer. You can use programs to perform complicated tasks involving the computer and the devices connected to it, such as:

- performing calculations
- creating graphics on the screen
- manipulating data.

The BASIC language operates within an environment responsible for controlling devices available to the computer, such as:

- the keyboard
- the screen
- the filing system.

You can enter operating system commands directly from within BASIC, by prefixing them with an asterisk (*).

Both BASICs are less than 64kbytes in size. The BASIC programming language uses procedures and functions, making GOTOs, GOSUBs and line numbers redundant. BASIC can be used to write simple programs through to very complex Desktop applications. Acorn's first release of the Desktop in 1987 was written in BASIC. BASIC includes tools to turn ARM Assembler.

C / C++ / Assembler

For major program development the Acorn C/C++ development environment is available for RISC OS. The environment is designed to be portable modules written in ANSI C and/or C++. It consists of a number of programming tools which are RISC OS desktop applications. These tools interact in ways designed to help your productivity, forming an extensible environment integrated by the RISC OS desktop.

Acorn C/C++ may be used with Acorn Assembler to provide an environment for mixed C, C++ and assembler development.

Powerful Text Editing

All programming languages require a powerful text editor to provide fast editing features. RISC OS users have a choice of three Text Editors. Zap and StrongED are very powerful shareware programs which supplement the basic facilities offered by Edit.

Consistent look and feel

All applications have a consistent look and feel due to the excellent Toolbox facilities.

RISC OS Toolbox

The RISC OS Toolbox was designed with the following goals:

- to facilitate writing consistent, high-quality applications
- to encourage the writing of applications whose user interface complies with the RISC OS Style Guide
- to be easy to learn
- to be language-independent
- to make it no harder to do operations which can be done using the Whip.

The Toolbox has the following characteristics:

- It is structured as a set of RISC OS relocatable modules, which may call back to code in the client application
- It is SWI-driven
- It can be used from C, C++, BASIC or Assembler with equal ease
- Communication back to the client application is via events, not have direct access to data structures maintained by the Toolbox
- It uses a new resource file format to hold templates for the user interface objects which the application will use at run-time.

Practical Applications of RISC OS

Thanks to the low power requirement of the ARM processor RISC OS is ideal for a wide range of products:-

Desktop Computers

Portable Computers

Embedded controllers

Information Kiosks

PAL and NTSC TV resolution screen displays

EPOS (Point of Sale) Terminals

PC Compatible Network Terminals (Thin Clients)

VPN

Portable control units

Extensive back catalogue of software

Since the launch of RISC OS many thousands of applications have been produced for use with it.

These cover subjects as diverse as Model Railway Simulation, Music scoring and publishing, Video Graphics, Databases, MP3 playback, Chemical modelling, Language learning, Photo retouching, administration, MIDI sequencing, Games Multimedia authoring, 3D animation, desktop publishing, Genealogy, Presentation and many more.

The major advantage of all these packages are that because of the compact code footprint of RISC OS it is very rare that any individual RISC OS application ever exceeds 1MB in size. Thus machines with very little RAM and very small permanent storage can store and run a large number of applications.

The world renowned Sibelius music scoring program was first produced on the RISC OS platform.